



 Print  Copy  Scan  Fax  Publish

# Kick-start the day with productive workgroup Copiers



KM-1635

# Do **that** little bit **extra** now that there's the **option**

## ▶ Productivity leads the way to growth.

The initial investment in a digital copier is just the beginning. Only too often, limited reliability and productivity increase indirect costs. The KM-1635 isn't only affordable, but is designed with durable, long-life components and require minimal maintenance. Combined with powerful functions and flexible paper handling options, they provide perfect support – just what a growing business might appreciate on its way to greater things.

## ▶ Let the digital copier be the spare hands.

There aren't usually many spare hands around the office so why not let the KM-1635 take care of the details. Amongst their intelligent digital copier functions are the 2-in-1/ 4-in-1 features that condense information for presentations and provide an overview of multiple documents on one page. Other features include cost-saving EcoCopy and productivity-enhancing functions such as automatic paper selection, scan-once-print-many and electronic rotate sort.



### **User-friendly display: LED + 2-line LCD**

This informative and easy-to-operate display offers quick access to digital features and keeps you fully informed of progress.

No one has time to wait on a copier to get ready for work. With a class-leading first copy out time of 5.9 seconds, Kyocera A3 monochrome laser copiers get moving fast. In the meantime, everyone can get on with other things, like deciding whether to copy images or text, take advantage of double-sided printing or use different weights of paper for different documents. These are a few of the requests that the KM-1635 handle with ease. And as an added bonus the GDI printing option turns your digital copier into an affordable printer. This means, you have all the flexibility and productivity you need to keep with the pace of modern business.

### Duplex functionality

Optional duplex unit for cost-saving double-sided printing and 50-sheet duplex document processor for effort-less copying of double-sided originals.

### Engine speed

KM-1635: Up to 16 pages per minute in A4  
Up to 8 pages per minute in A3

### Output quality

600 dpi laser technology with 256 greyscale printing for crisp text and realistic photos.

### Time to first copy

Class-leading first copy time of 5.9 seconds.



### Printing options

The GDI functionality allows printing from any Windows PC.



### Input capacity

Fill trays less frequently by adding paper capacity of up to 1,250 sheets.



The KM-1635 incorporate extremely durable components that guarantee smooth and reliable operation. The systems are designed to last for extremely long hardware maintenance cycles. Thus, the KM-1635 keep your overall operating costs low and productivity high – at the same time ensuring a minimum impact on the environment.

| GENERAL                 |  |
|-------------------------|--|
| Technology:             | Kyocera Laser, Mono component  |
| Engine speed:           | KM-1635: Max.16/8 pages per minute A4/A3   |
| Resolution:             | 600 x 600 dpi, 256 greyscales  |
| Time to first copy:     | 5.9 seconds or less  |
| Warm-up time:           | 20 seconds or less from power on   |
| Duty cycle:             | KM-1635: Max. 20,000 pages per month   |
| Power source:           | AC 220 ~ 240 V, 50/60 Hz   |
| Power consumption:      | Copying: 461 W, Stand-by: 104 W, Power-Saving (ECOpower): 43 W                   |
| Noise (ISO 7779):       | Copying: 64 dB(A), Stand-by: 40 dB(A), Power-Saving (ECOpower): Immeasurably low |
| Dimensions (W x D x H): | 574 x 552 x 502 mm   |
| Weight:                 | Main unit: Approx. 39 kg   |
| Certifications:         | TUV/GS, CE, C-TICK   |

This product is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

| PAPER HANDLING  |  |
|---|--|
| All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera under normal environmental condition. |  |
| Input capacity:   | 300-sheet universal paper cassette, 64-105g/m <sup>2</sup> , A3, A4, A5, Ledger, Letter, Legal, Folio 50-sheet multi-purpose tray, 45-160g/m <sup>2</sup> , A3, A4, A5, Ledger, Letter, Legal, Folio, Custom (98 x 147 mm to 297 x 432 mm) |
|   | Max. input capacity with options: 1,250 sheets   |
| Output capacity:  | 250 sheets face-down   |

| COPY FUNCTIONS      |       |
|---------------------|-------|
| Max. original size: | A3    |
| Continuous copying: | 1-999 |

|                    |  |
|--------------------|--|
| Memory capacity:   | Standard 32 MB, 18 MB of bitmapping memory and 14 MB of image storage memory, max. 160 MB (1 empty DIMM slot for 16, 32, 64, 128 MB)   |
| Zoom range:        | 25-400% in 1% steps  |
| Digital features:  | Scan-once-print-many, electronic sort copy, rotate sort copy* <sup>1</sup> , automatic paper selection, duplex copying* <sup>2</sup> , combined inch/metric copying, layout mode (2-in-1, 4-in-1), ECOcopy mode, program key mode, management mode |
|                    | * <sup>1</sup> additional paper feeder PF-410 is required<br>* <sup>2</sup> additional duplex unit DU-410 is required  |
| Exposure mode:     | Auto, manual: 5 or 9 steps   |
| Image adjustments: | Text + photo, text, photo  |

| OPTIONS                           |   |
|-----------------------------------|---|
| <b>Printing system (X)</b>        | Host based printing system, network via a USB interface. Includes 32MB  |
| Option                            | IB110 print server  |
| <b>Paper handling</b>             |   |
| DP-410 Duplex document processor: | 50 sheets, duplex scan, 45-160g/m <sup>2</sup> , A3-A5R, Folio, Ledger-Statement-R  |
| PF-410 Paper feeder:              | 300 sheets, 64-105g/m <sup>2</sup> , A3-A5R, Folio, Ledger-Statement-R (max. three PF-410 can be added to the basis-system). Max 3 additional trays |
| DU-410 Duplex unit:               | 60-80g/m <sup>2</sup> , A3-A5R, Folio, Ledger-Statement-R   |
| <b>Memory</b>                     | Max. 160 MB, 1 slot (16, 32, 64, 128 MB DIMM)   |
| Others                            |   |
| Platen cover (D):                 | Platen cover  |
| Cabinet:                          | Cabinets available for 1, 2, 3 & 4 tray configurations  |

| CONSUMABLES   |  |
|---|--|
| TK-410 Toner-kit:   | Microfine toner for 15,000 pages with 6% A4 coverage |
| Capacity of starter toner for 3,000 pages with 6% A4 coverage |  |

Australia Sales Enquiries  
**1300 364 429**

Australia Web Address  
www.kyoceramita.com.au

New Zealand Web Address  
www.kyoceramita.co.nz

**Sydney Head Office**  
6-10 Talavera Road  
North Ryde NSW 2113  
Phone: (02) 9888 9999  
Fax: (02) 9888 9588

**Melbourne Office**  
Unit 2, 993 North Road  
Murrumbeena VIC 3163  
Phone: (03) 9579 1555  
Fax: (03) 9579 1544

**Brisbane Office**  
Cnr Forbes St & Riverside Drive  
West End QLD 4101  
Phone: (07) 3844 6686  
Fax: (07) 3844 8569

**Perth Office**  
104 Walters Drive  
Osborne Park WA 6017  
Phone: (08) 9201 9155  
Fax: (08) 9201 9511

**Adelaide Office**  
53 Rundle Street,  
Kent Town SA 5067  
Phone: (08) 7421 2000  
Fax: (08) 7421 2001

**Canberra Office**  
Epicorp Centre  
401 Clunies Ross Street  
Acton ACT 2601  
Phone: (02) 6229 1729  
Fax: (02) 6229 1701

**New Zealand Office**  
1-3 Parkhead Place  
Albany New Zealand  
Phone: (64) 9 415 4517  
Fax: (64) 9 415 4597

**ABN 77 003 852 444**

In an effort to reduce future landfill pollution Kyocera has removed 6 hazardous materials from our latest products. Kyocera has implemented a totally lead free manufacturing process using lead free solder and components.



The paper used in this leaflet is recyclable and degradable. The pulp used in this manufacture is totally chlorine free, and derived from sustainable forests. Kyocera Mita reserves the right to change specifications without notice. Information is correct at the time of going to press. All trade marks acknowledged. N.B. Specifications are subject to change. A.C.N. 003 852 444 2/02 – Australia A.B.N. 77003 852 444

**Disclaimer**

Kyocera does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to print. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

**Kyocera is the Official Supporter of Business Clean Up Day**

A SMART ENVIRONMENTAL CHOICE

Protection of the environment is integral to Kyocera's day-to-day operations. Research over the last few decades has been focused, not only developing the most advanced document management devices, but also doing so in harmony with the environment.

